

GOVERNMENT SUBSIDIZED INOCULATION

For residents of Tokyo's 23 wards (October, 2016)

| vaccine | aid recipients | standard inoculation age and doses | the age coupon delivered |
|--|--|---|--|
| Hib hemophilus influenza type b vaccine | initial: age of 2mo-up to 5yr booster: age of 2mo-up to 5yr | 3 times: age of 2mo-6mo (4-8wk interval each) once: 7-13mo after completing initial inoculation | at the age of 2mo (3+1 coupons) |
| PCV 13 pneumococcal polysaccharide conjugated vaccine | initial: age of 2mo-up to 5yr booster: age of 2mo-up to 5yr | 3 times: age of 2mo-6mo (27day interval each) once: age of 1yr/ 60 days after completing initial inoculation | at the age of 2mo (3+1 coupons) |
| Hepatitis B (BABY BORN AFTER APRIL 1, 2016 ONLY) | age of 2mo-up to 1yr | 2 times: age of 2mo-8mo (4wk interval each) once: 139days (20wk) after the 1st dose | at the age of 2mo (3 coupons) |
| BCG (UPPER OUTER ARM ONLY WITH COUPON) bacille de calmette guerin (against tuberculosis) | up to age of 1yr | once: age of 5mo-up to 8mo | at the age of 3mo (1 coupon) |
| DPT-IPV: primary period (quadrivalent) diphtheria, tetanus and acellular pertussis-IPV | initial: age of 3mo-up to 90mo booster: age of 3mo-up to 90mo | 3 times: age of 3mo-12mo (3-8wk interval each) once: 12-18mo after completing initial inoculation | at the age of 3mo (3 coupons) at the age of 18mo (1 coupon) |
| DPT: primary period (trivalent) diphtheria, tetanus and acellular pertussis | initial: age of 3mo-up to 90mo booster: age of 3mo-up to 90mo | 3 times: age of 3mo-12mo (3-8wk interval each) once: 12-18mo after completing initial inoculation | inform Health Center if desired |
| IPV inactivated polio vaccine | initial: age of 3mo-up to 90mo booster: age of 3mo-up to 90mo | 3 times: age of 3mo-12mo (3-8wk interval each) once: 12-18mo after completing initial inoculation | inform Health Center if desired |
| DT: secondary period diphtheria and tetanus | age of 11yr-up to 13yr | once: age of 11yr | at the age of 11yr (1 coupon) |
| MR measles-rubella | primary: age of 1yr-up to 2yr booster: the year before entering school (Apr.-Mar.) | once: 12mo-up to 24mo age of 1yr once: the year before entering school (Apr.-Mar.) | at the age of 1yr (1 coupon) April of 1 yr before entering school (1) |
| Varicella | age of 12mo-36mo | twice: age of 12-15mo/ after 6mo-12mo of interval | at the age of 1yr (2 coupons) |
| Japanese Encephalitis: primary period | initial: age of 6mo-up to 90mo booster: age of 3mo-up to 90mo | twice: age of 3yr (1-4wk interval each) once: age of 4yr/ 1yr after completing initial inoculation | at the age of 3yr (2 coupons) at the age of 4yr (1 coupon) |
| secondary period | age of 9yr-up to 13yr | once: age of 9yr | inform Health Center if desired |
| (special case) | people who were born between April 2, 1995 and April 1, 2007 can receive it until they reach the age of 20yr as a special aid recipient | | |
| HPV (bivalence or quadrivalence selectable) human papillomavirus vaccine | girls about age of 12-16yr (girl students between the 6th grade at primary school and the 1st grade at high school) | bivalence: 3 times: 0, 1 mo and 6mo quadrivalence: 3 times: 0, 2mo and 6mo | inform Health Center if desired |